

क्र. मॉसंबा/६५६/२०१९-२०/(३०)/का-११ 1590

शिवछत्रपती क्रीडापीठ कार्यालय

महालुंगे, बालेवाडी, पुणे

दिनांक : 30 JUL 2019

प्रति,

विषय :- मॉक अप रुम जवळ अभ्यागतांसाठी नवीन संडास बाथरुम बांधणे,
सेफ्टी टँक बसविणे, चेंबर बांधणे, प्लंबिंग कामे करण्यासाठी
दरपत्रके मागविणेबाबत .

शिवछत्रपती क्रीडा संकुल, महालुंगे-बालेवाडी, पुणे येथे मॉक अप रुमचे बांधकाम करण्यात आलेले आहे. सदर मॉक अप रुमचा वापर आता मा. मंत्री व इतर मान्यवरांच्या निवास व्यवस्थेकरीता करण्यात येत आहे. मॉक अप रुम जवळ संडास व बाथरुमची सुविधा नसल्यामुळे मॉक अप रुममध्ये निवासास असलेल्या अति महत्वाचे/महत्वाचे व्यक्तींकडे येणा-या अभ्यागतांची मोठया प्रमाणावर गैरसोय होत आहे. त्यामुळे त्या ठिकाणी नवीन संडास, बाथरुम बांधणे, सेफ्टी टँक बसविणे, चेंबर बांधणे, प्लंबिंग कामे इ. कामे करावयाची आहेत. यामधील समाविष्ट बाबींचा तपशील खालीलप्रमाणे आहे.

Sr.No.	Description	Qty	Unit
1	Providing second class Burnt Brick masonry with conventional/ I.S. type bricks in cement mortar 1:6 in superstructure including triking joints, raking out joints, watering and scaffolding etc. Complete Spec. No:- Bd.G. 1 Page No. 315	10.77	Cum
2	Providing internal cement plaster 20mm. thick in two coats in cement mortar 1:3 without neeru finish, to concrete, brick surface, in all positions including scaffolding and curing etc. complete. Spec. No:- Bd.L.4 Page No. 368	28.44	Sqm
3	Providing sand faced plaster externally in cement mortar using approved screened sand, in all positions including base coat of 15 mm thick in cement mortar 1:4 using waterproofing compound at 1 kg per cement bag curing the same for not less than 2 days and keeping the surface of the base coat rough to receive the sand faced treatment 6 to 8 mm thick in cement mortar 1:4 finishing the surface by taking out grains and curing for fourteen days scaffolding etc.complete. Spec. No:- Bd.L.7 Page No. 369	28.44	Sqm

4	Providing and laying vitrified mirror / glossy finish tiles decorative type having size 590 mm to 605 mm x 590 mm to 605 mm of 8 to 10 mm thickness and confirming to IS. 15622-2006 (group Bla) of approved make, shade and pattern for flooring in required position laid on a bed of 1:4 cement mortar including neat cement float, filling joints, curing and clearing etc. complete. a) Flooring Spec. No:- Bd.M. 12 Page No.385	15.44	Sqm
5	Providing and fixing cold rolled steel hollow door frame 105mm x 60mm for any sizes including hold fast hinges, tie members with red oxide and gray paint etc. complete as per I.S.I. specifications and code of practice prescribed including anticorrosive treatment as directed by the engineer.	10.4	Rmt
6	Providing and fixing solid core flush door shutter in single leaf 32 mm thick decorative type of exterior grade as per detailed drawings approved face veneers 3 mm thick on both faces or as directed, all necessary beads, mouldings and lipping, wrought iron hold fasts, chromium plated fixtures and fastenings, with brass mortise lock, chromium plated handles on both sides, and finishing with French Polish etc. complete. Spec. No:- BD-T-34 Page No. 499	4.2	Sqm
7	Providing and laying Cast in situ/Ready Mix cement concrete in M-10 of trap/ granite/ quartzite/ gneiss metal for foundation and bedding including bailing out water, Steel centering, formwork, laying/pumping, compacting, roughening them if special finish is to be provided, finishing if required and curing complete, with fully automatic micro processor based PLC with SCADA enabled reversible Drum Type mixer/concrete Batch mix plant (Pan mixer) etc. complete. With fine aggregate (Natural Sand finely washed etc) Spec. No:- Bd. E. 1 Page No. 287	0.8	Cum
8	Providing and applying water proofing treatment using acrylic polymer modified cement based water proofing coating with fibre glass mesh mixing at the rate of powder to liquid (2:1) by weight covering 9 to 10 sqm /kg with two coat using approved chemicals for masonry and concrete surface by brush covering 7 years guarantee on Stamp Papers etc. complete.Spec. No:- As directed by Engineer in chargePage No. 256 SSR I.No. 31.09	15.5	Sqm
9	Providing and applying washable powder distemper of approved colour and shade to old and new surfaces in two coats including scaffolding, preparing the surfaces. (including the primer coat) etc .complete.	28.44	Sqm
10	Providing and applying two coats of exterior acraylic emulsion paint confirming to corresponding I.S. of approved manufacture and of approved colour to the plastered surfaces including cleaning ,preparing the plaster surface, applying primer coat ,scaffolding if necessary , and watering the surface for two days etc complete. Spec. No:- As directed by Engineer in charge.	28.44	Sqm

11	Removing & repairing & refixing of old Roofing sheet with truss support as per directed by engineer in charge	1	Job
12	Providing and fixing hume pipe septic tank 900mm diameter with vent pipe and cap including necessary (including excavation and laying) Bd.V.45, Page No.575	1	Nos
13	Providing soak pit of size 120cm x 120cm x 120cm including excavating and filling with brick-bats. Bd.V.46, Page No.576	1	Nos
14	Providing and constructing Brick Masonry Inspection Chamber 90cm x 45cm x 90cm including 1:4:8 cement concrete foundation 1:2:4 cement concrete channels half round G.S.W.pipes, Brick Masonry, plastering from inside and with frame fixed in cement concrete with R.C.C. Cover medium duty 140 kg with frame etc complete. Bd.V.43, Page No. 574	2	Nos
15	Providing and fixing 15cm x 10cm salt glazed stoneware gully trap in cement concrete 1:4:8 outside the building including cast iron grating in the sink, connecting glazed stoneware pipe, brick masonry chamber with cast iron lid and cast iron grating for the gully trap.	2	Nos
16	Providing and fixing European type white glazed earthenware coupled closet symphonic trap with symphonic low level white glazed 10 litres cistern with black backlite seat with all necessary pipe connection etc. complete. As directed by Engineer in charge.	1	Nos
17	Providing and fixing UPVC 25mm dia line with required fitting including excvation , backfilling etc completet. Mock up room to WC bath area	1	Job
18	Main stadium refixing of Brass valve 50mm dia. Etc completet including excvation and old line repairing	1	Job
19	For main statdium dormentory Overhed water tank refixing and making Tab point and valve	8	Nos
20	For main statdium duct area removing leakage for drainage line and water supply line job work	1	Job
21	For hostel C :- Removing Damaged 75mm & 100mm dia SWG Line and fixing of new SWG line for loft area etc complete.	1	Job
22	For WC Bathroom front area repairing and refixing old tin shade with truss support etc complete. as directed by engineer in charge	1	Job
23	for Bathroom WC area , washing place and kitchen making new conceled plumbing line with fitting etc complete as directed by engineer in charge	1	Job

24	Providing and fixing white glazed earthenware Wash Hand Basin of 55cm. x 40 cm. size including cold water pillar tap/cold and hot water pillar tap brackets, rubber plugs and brass chain, stop tap and necessary pipe connections including P.V.C. waste pipe and trap up to the outside face of the wall. Making good the damaged surface, testing etc. complete.	1	Nos
----	---	---	-----

आपण प्रत्यक्ष साईट व्हिजिट करून तपशीलवार दरपत्रक खालील बाबींचा विचार करून व कागदपत्रे सोबत जोडून या कार्यालयास दिनांक १/८/२०१९ पर्यंत सादर करावीत.

- १) दरपत्रकांमध्ये दर देताना सर्व करांसह दर देण्यात यावीत.
- २) दरपत्रकांसोबत VAT/CST/GST क्रमांक देण्यात यावा. तथापी VAT/CST/ GST क्रमांक लागू नसल्यास तत्सम प्राधीकरणाकडील नोंदणी क्रमांक असलेल्या लेटर हेडवर दरपत्रक सादर करावे.
- ३) दरपत्रकांसोबत पॅनकार्डची झेरोक्स प्रत सादर करणे बंधनकारक राहिल.

(टिप्पणी मा.आयुक्तांनी मान्य केली आहे.)


(आनंद व्यंकेश्वर)
उपसंचालक
क्रीडा व युवक सेवा
शिवछत्रपती क्रीडापीठ, पुणे